

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

09/889237




Fig. 1




Fig. 2


FIG. 2

Figure 3.

2/6

(103) Pole Figure of YBCO  
on CCVD STO/Ni

6% of maximum intensity




Pole Figure at 2theta: 32.

pjem217  
01/09/99 18:12:50  
Created 01/09/99  
Mag,Quad 1 0  
Phi .0000  
Width 2.508  
Counts 1818520  
Time (s) 132.93  
Distance 6.000  
Size 512




Distance 6.000  
FloodFid HL061898  
Spatial HL061898  
1024x1024 No PDC

0



4/6

**Figure 5**

600




Figure 6




Figure 7




Figure 8

[illegible]